

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	146	(next near3 address\$5) with (before near3 (finish\$5 complet\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 11:32
S2	139	(next near3 address\$5) with (before near3 (finish\$5 complet\$6))	US-PGPUB; USPAT	OR	ON	2005/06/15 13:54
S3	93	(next near3 address\$5) with (before near3 (finish\$5 complet\$6))	USPAT	OR	ON	2005/06/17 11:46
S6	1	"20030115392".pn.	US-PGPUB; USPAT	OR	ON	2005/06/17 16:49
S7	19	read adj return adj signal	US-PGPUB; USPAT	OR	ON	2005/06/17 16:55
S8	20	((MURAYAMA near KOHEI)(FUJIWARA near TAKAFUMI)).in.	US-PGPUB; USPAT	OR	ON	2005/06/17 16:56
S9	1654	710/3-6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 11:32
S10	147	(next near3 address\$5) with (before near3 (finish\$5 complet\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 11:32
S11	4	S10 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/20 11:49
S12	2	"20040123011".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:24
S13	0	S12 and independent with connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:26
S14	0	S12 and independent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:25

S15	2	S12 and slave with connec\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:31
S16	0	S12 and independent with connec\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:26
S17	1	S12 and slave with request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:52
S18	2123	address with master with request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S19	2924	data with slave with request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S20	695	S18 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S21	447	S18 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S22	408	S18 with S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S23	1444	data with slave near3 request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S24	1136	address with master near3 request\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53

S25	179	S23 same S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S26	148	S23 with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:53
S27	2	"20040123011".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:33
S28	1	S27 and start with signal\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:36
S29	0	S27 and independant\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:36
S30	0	S27 and independ\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:42
S31	2	S27 and next with transac\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:43